




BD 50/60 C Ep Classic

The ideal entry-level model: BD 50/60 C Ep Classic walk-behind, mains-operated scrubber drier with disc technology and 60 litre tank for an area performance of up to 2,000 m^2/h .



TECHNICAL DATA AND EQUIPMENT

KARCHER



BD 50/60 C Ep Classic

Mains operation	
-----------------	--

- One disc
- Extremely easy to use

Technical data		
Order no.		1.127-002.0
EAN code		4054278006697
Brush working width	mm	510
Working width, vacuuming	mm	900
Rated input power / Amps	W	max. 1100
Fresh/dirty water tank	I	60 / 60
Brush contact pressure	g/cm² / kg	27.3-28.5 / 20-23
Brush speed	rpm	180
Max. area performance	m²/h	2040
Current type	V / Hz	230 / 50
Weight (with accessories)	kg	55
Dimensions (L × W × H)	mm	1170 × 570 × 1025
Equipment		

Lyoipinent	
Disc brush	
2-tank system	
Mains operationMains operation	
Transport wheels	
Included in the scope of supply.	



		Order no.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Disc brushes									ų.
Disc brush	1	4.905-026.0	medium	510 mm	red	1 piece(s)		Disc brush, medium-hard, red, 510 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.	I
	2	4.905-027.0	soft	510 mm	natural	1 piece(s)		Soft disc brush (natural, 510 mm) for cleaning and polishing.]
	3	4.905-029.0	hard	510 mm	black	1 piece(s)		Disc brush, hard, black, 510 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.]

KARCHER



8










6





Hardness / Quanti-Order no. Brush type Diameter Colour ty Price Description Pads 6.369-468.0 Pad 1 soft 508 mm beige With fine grains for perfect polishing results on floors. П piece(s) 2 6.369-079.0 medium-soft 508 mm red 5 Medium soft, for wet-cleaning of all surfaces and for spray piece(s) cleaning. 3 6.369-078.0 medium-hard 508 mm green Medium hard, for cleaning stubborn soilings and for deep 5 piece(s) cleaning. 4 6.369-077.0 hard 508 mm black Hard, for persistent soilings and for deep cleaning. 5 piece(s) Pad SPP 51 Set 2x 5 2.639-258.0 hard 508 mm brown 2 П piece(s) Pad 500 mm beige / 6 6 371-146 0 soft With natural hair, for polishing. Effectively removes scuff 5 natural piece(s) marks. Pad drive board Pad drive board STRONG 7 4.762-593.0 479 mm Required for use of melamine pads, but can also be used for 1 piece(s) normal pads. Pad drive board with lots of extra hooks for П holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 51 Pad drive board 8 4.762-534.0 479 mm For cleaning with pads. With quick-change coupling and 1 П piece(s) Centerlock. Diamond pad Diamond pad 9 6.371-260.0 coarse 508 mm White For coarse cleaning/restoring. Removes small scratches, for 5 piece(s) a clean, silky matt surface. For surface preparation prior to П using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation. 10 6.371-261.0 508 mm medium vellow 5 For coarse cleaning/restoring. Removes fine scratches for a niece(s) more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation. 11 6.371-240.0 fine 508 mm green 5 For effortless polishing of laminated floors, terrazzo and piece(s) natural stone surfaces. For maintenance cleaning after using П white and yellow pads. As a crystallisation pad for highgloss crystallisation. Melamine pads 12 6.371-025.0 Melamine pad 508 mm Grev/ 2 Melamine pad set with 508 mm diameter for our scrubber white piece(s) driers with a working width of 51 cm or with the D 100 brush head. For the effective cleaning of microporous surfaces.

KARCHER



		Order no.	Length	Colour	Quanti- ty	Price	Description	
Squeegee, complete					<u> </u>			-
Squeegee, straight	1	4.777-401.0	850 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	
	2	4.777-406.0	850 mm	blue	1 piece(s)		Straight, without support rollers. Soft natural rubber suction lips.	
Squeegee, curved	3	4.777-411.0	850 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	
	4	4.777-416.0	850 mm	blue	1 piece(s)		Curved, without supporting rollers. Soft natural rubber suction lips.	
V-squeegee	5	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm-long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long life- time and for all floors. With spirit level for precise adjust- ment.	
Squeegees for suction bars					· · ·			
Suction lips	6	6.273-207.0	890 mm	transparent	2 -part		Standard, grooved, oil-resistant.	
	7	6.273-229.0	890 mm	transparent	2 -part		Slotted, oil-resistant, polyurethane, for sensitive floors.	
	8	6.273-290.0	890 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	
	9	6.273-213.0	890 mm	blue	2 -part		Fluted, standard, natural rubber.	

KARCHER





		Order no.	Length	Diameter	Quanti- ty	Price	Description	
Other attachment kits								
ABS drain hose ball valve	1	2.643-986.0					Drain hose for metered draining of dirty water from the tanks in our BD 50/50 C Classic and BD 50/60 C Classic scrubber driers. Water flow regulation using a ball valve.	
Suction hose accessories	2	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	



		Order no.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.