



NT 75/1 Tact Me Te H

Professional wet/dry vacuum cleaner with a sturdy 75-litre stainless steel container for Class H dust harmful to health (including asbestos). With Te function for connecting power tools.

1 Hose selector switch

- The diameter of the connected suction hose can be selected on the operating field.

2 Approved for asbestos dust

- Only dust class H safety vacuum cleaners approved with the additional test for asbestos (according to TRGS 519) may be used for dust containing asbestos in Germany. Our H class safety vacuum cleaners have this approval.

NT 75/1 Tact Me Te H

- Antistatic preparation
- Automatic on/off switch
- Suitable for asbestos

Technical data

Order No.	1.667-294.0	
EAN code	4039784727311	
Air flow rate	l/s	74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	l	75
Max. rated input power	W	1000
Standard nominal width		35
Sound pressure level	dB(A)	67
Weight	kg	24.6
Dimensions (L × W × H)	mm	640 × 540 × 925

Equipment

Suction hose	m	2.5	Steering roller stop	■
Suction pipe	piece(s) / m	2 × 0.5 / stainless steel	Filter cleaning	Tact filter cleaning system
Filter bag		Paper	Dust class	H
Wet and dry floor nozzle	mm	360		
Crevice nozzle		■		
Power tool connection adaptor		■		
Automatic on/off switch for power tools		■		
Antistatic preparation		■		
Eco filter system		■		
Flat pleated filter		Fibreglass		
Protection class		I		

■

NT 75/1 TACT ME TE H

1.667-294.0

KÄRCHER



		Order No.	Quantity	ID	Length	Width	Price	Description	
HEPA, dust class H filter									
HEPA flat pleated filter	1	6.904-364.0	1 piece(s)					HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	■
Floor nozzles									
Multi-purpose nozzle, wet/dry	2	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Crevice nozzles									
Crevice nozzle	3	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
	4	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
	5	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□
Suction tubes, metal									
Suction tube	6	6.900-514.0	1 piece(s)	ID 35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	■
Suction hoses (clip system)									
Suction hose	7	6.906-275.0	1 piece(s)	35	2.5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	■
	8	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	□
Complete suction hoses (clip system)									
Suction hose, electrically conductive	9	4.440-653.0	1 piece(s)	ID 35	2.5 m			2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.	■
Connection adaptor for power tools, clip-on, electrically conductive									
Connection adaptor for power tools, C 35, electrically conductive	10	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	■
Connection Adaptor for power tools, C 35, electrically conductive	11	5.453-048.0	1 piece(s)	ID 35				Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.	□
	12	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	□
	13	5.453-050.0	1 piece(s)	ID 35				Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	□
	14	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	□
	15	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	□
Micro sprayer sets									
Nozzle kit	16	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	□

■ □ Available accessories.

NT 75/1 TACT ME TE H

1.667-294.0

KÄRCHER


		Order No.	Quantity	ID	Length	Width	Price	Description	
Fabric filter									
Membrane filter	17	6.904-282.0	1 piece(s)					Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	<input type="checkbox"/>
	18	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	<input type="checkbox"/>
Wet filter bag									
Wet filter bag	19	6.904-252.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	<input type="checkbox"/>
Bends, stainless steel									
Bend, stainless steel, ID 35	20	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	<input type="checkbox"/>
Car cleaning nozzles									
Car nozzle	21	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
Rubber suction tools, nose 45°									
Rubber suction tool, nose 45°	22	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Combi-nozzles, dry									
Combi-nozzle dry	23	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
Pipe dusting nozzles									
Pipe brush 35/100	24	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
Pipe brush 35/200	25	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
Suction brushes									
Suction brush	26	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
Turbo nozzles									
Turbo upholstery nozzle	27	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Turbo floor nozzle	28	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
Repair kits									
Repair kit, C 35	29	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>
Connecting sleeves									
Adaptor, ID 32/35, with internal thread	30	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
Connection adaptor C ID (clip to cone), electrically conductive									
Connection adaptor C DN 35	31	5.407-112.0	1 piece(s)	ID 35				C 35 hose connector for DN 35 accessory, electrically conductive.	<input type="checkbox"/>

■ □ Available accessories.

NT 75/1 TACT ME TE H

1.667-294.0



		Order No.	Quantity	ID	Length	Width	Price	Description	
Adaptor for electric power tools, screwable									
Adaptor for electric power tools, screwable, ID 35	32	5.453-026.0	1 piece(s)	ID 35				Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	<input type="checkbox"/>
	33	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	<input type="checkbox"/>
	34	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	<input type="checkbox"/>
Expansion pieces (tube -> nozzle)									
Adapter ID 35 - 40 (tube -> nozzle)	35	6.902-084.0	1 piece(s)	ID 35				From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Reducers (tube -> nozzle)									
Reducer from ID 35 to ID 32	36	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
Reduction/expansion adapter kit									
Set of reducers / adapter sleeves	37	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>

■ Available accessories.

NT 75/1 TACT ME TE H

1.667-294.0



		Order No.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Available accessories.